

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

**1: Identification**

- **1.1 Product identifier**
- **Trade name:** COBRA
- **Article number:** 01COB/01COBSMA EN
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Deep cleaning of ceramic anilox rolls.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Manufacturer :  
RECYL SAS.  
17, rue de Montréal.74100.VILLE LA GRAND.France.  
Telephone : +33 (0)4 50 92 48 68. Fax : +33 (0)4 50 95 54 72.  
Email : info@recyl.fr  
http://www.recycl.com
- Supplier :  
Econo Products Inc  
132 Humboldt St.  
Rochester, N.Y. 14610  
PH: 585-288-7550  
Fax: 585-288-3117  
www.econoproducts.com  
mail : econo@econoproducts.com
- **1.4 Emergency telephone number:** NHS Direct: 0845 46 47 / Textphone: 0845 606 46 47

**2: Hazard(s) identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation US OSHA & Haz Com 2012 :**



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation US OSHA & Haz Com 2012 :**  
The product is classified and labeled according to the CLP regulation.
- **Hazard pictograms**



- **Signal word** Danger
- **Hazard-determining components of labeling:**  
phosphoric acid  
sulphuric acid
- **Hazard statements**  
H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

**Trade name: COBRA**

(Contd. of page 1)

· **Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P264 Wash thoroughly after handling.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P363 Wash contaminated clothing before reuse.
- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
- P310 Immediately call a POISON CENTER/doctor/...
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3: Composition/information on ingredients

· **3.2 Chemical characterization: Mixtures**

· **Description:** Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 RTECS: TB 6300000	phosphoric acid	☞ Skin Corr. 1B, H314	50-100%
CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8	sulphuric acid	☞ Skin Corr. 1A, H314	25-50%
CAS: 112945-52-5 EINECS: 262-373-8 RTECS: VV 7320000	Silica, fused		2.5-10%

USA

(Contd. on page 3)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

Trade name: COBRA

(Contd. of page 2)

### 4: First-aid measures

#### · 4.1 Description of first aid measures

##### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

##### · After swallowing:

Do not induce vomiting; immediately call for medical help.

Call a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5: Fire-fighting measures

#### · 5.1 Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

#### · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Sulphur dioxide (SO<sub>2</sub>)

hydrogen (H<sub>2</sub>)

phosphorus oxides

#### · 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

### 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

USA

(Contd. on page 4)

**Safety Data Sheet**  
 acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

**Trade name: COBRA**

(Contd. of page 3)

**7: Handling and storage**

- **7.1 Precautions for safe handling**  
 Ensure good ventilation/exhaustion at the workplace.  
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:**



Keep ignition sources away - Do not smoke.

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

**8: Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**7664-38-2 phosphoric acid (50-100%)**

PEL	Long-term value: 1 mg/m <sup>3</sup>
REL	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
TLV	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>

**7664-93-9 sulphuric acid (25-50%)**

PEL	Long-term value: 1 mg/m <sup>3</sup>
REL	Long-term value: 1 mg/m <sup>3</sup>
TLV	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction

· **Additional information:** The lists that were valid during the creation were used as basis.

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.
- **Breathing equipment:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

**Trade name: COBRA**

(Contd. of page 4)

· **Protection of hands:**



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

· **Penetration time of glove material**

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:**



Protective work clothing



Boots

**9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Viscous
· <b>Color:</b>	Colorless
· <b>Odor:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Strongly acidic

· **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

**Trade name: COBRA**

(Contd. of page 5)

· <b>Danger of explosion:</b>	<i>Product does not present an explosion hazard.</i>
· <b>Explosion limits:</b>	
<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>
· <b>Vapor pressure:</b>	<i>Not determined.</i>
· <b>Density at 20 °C (68 °F):</b>	<i>1.92 g/cm<sup>3</sup> (16.022 lbs/gal)</i>
· <b>Relative density</b>	<i>Not determined.</i>
· <b>Vapour density</b>	<i>Not determined.</i>
· <b>Evaporation rate</b>	<i>Not determined.</i>
· <b>Solubility in / Miscibility with Water:</b>	<i>Fully miscible.</i>
· <b>Partition coefficient (n-octanol/water):</b>	<i>Not determined.</i>
· <b>Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	<i>1000 mPas</i>
<b>Kinematic:</b>	<i>Not determined.</i>
· <b>Solvent content:</b>	
<b>VOC content:</b>	<i>0 %</i>
· <b>9.2 Other information</b>	<i>No further relevant information available.</i>

### 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions**  
*Reacts violently with water.*  
*Reacts with various metals.*  
*Reacts with acids, alkalis and oxidizing agents.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:**  
*hydrogen (H<sub>2</sub>)*  
*sulphur dioxide (SO<sub>2</sub>)*  
*phosphorus oxides*

### 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**7664-93-9 sulphuric acid**

Oral	LD50	2140 mg/kg (rat)
Inhalative	LD50	0.375 mg/l (rat)

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

**Trade name: COBRA**

(Contd. of page 6)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Corrosive  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7664-93-9	sulphuric acid	1
112945-52-5	Silica, fused	3

· **NTP (National Toxicology Program)**

7664-93-9	sulphuric acid	K
-----------	----------------	---

## 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**7664-93-9 sulphuric acid**

EC50 24h 29 mg/l (Crustaceans)

LC50 96h 10650 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation:**

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/20/2014



Reviewed on 04/20/2014

**Trade name: COBRA**

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14: Transport information**

· <b>14.1 UN-Number</b> · <b>ADR, IMDG, IATA</b>	UN1760
· <b>14.2 UN proper shipping name</b> · <b>ADR</b>  · <b>IMDG, IATA</b>	1760 Corrosive liquids, n.o.s. (Sulfuric acid, Phosphoric acid solution) CORROSIVE LIQUID, N.O.S. (SULPHURIC ACID, PHOSPHORIC ACID, SOLUTION)
· <b>14.3 Transport hazard class(es)</b> · <b>Label</b>  · <b>ADR</b>	8
	
· <b>Class</b> · <b>Label</b>	8 (C9) Corrosive substances 8
· <b>IMDG, IATA</b>	
	
· <b>Class</b> · <b>Label</b>	8 Corrosive substances. 8
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	II
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b> · <b>Danger code (Kemler):</b> · <b>EMS Number:</b> · <b>Segregation groups</b>	Warning: Corrosive substances 80 F-A,S-B Acids
· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	ADR : Department of Transportation (DOT)
· <b>UN "Model Regulation":</b>	UN1760, Corrosive liquids, n.o.s. (Sulfuric acid, Phosphoric acid solution), 8, II

USA

(Contd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/20/2014

Reviewed on 04/20/2014

**Trade name: COBRA**

(Contd. of page 8)

**15: Regulatory information**

**· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· Sara**

**· Section 355 (extremely hazardous substances):**

7664-93-9	sulphuric acid
-----------	----------------

**· Section 313 (Specific toxic chemical listings):**

7664-38-2	phosphoric acid
-----------	-----------------

7664-93-9	sulphuric acid
-----------	----------------

**· TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**· Proposition 65**

**· Chemicals known to cause cancer:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Cancerogenity categories**

**· EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**· TLV (Threshold Limit Value established by ACGIH)**

7664-93-9	sulphuric acid	A2
-----------	----------------	----

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

112945-52-5	Silica, fused
-------------	---------------

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

**16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 10)

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 04/20/2014

Reviewed on 04/20/2014

**Trade name: COBRA**

*HMIS: Hazardous Materials Identification System (USA)*  
*VOC: Volatile Organic Compounds (USA, EU)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*

(Contd. of page 9)

USA