

Safety Data Sheet acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

1: Identification

- **1.1 Product identifier**
 - **Trade name:** CLEAN 2000
 - **Article number:** 01RC1/01RC3 EN
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - **Application of the substance / the mixture** Periodical cleaning of ceramic and chromium rolls
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**

Manufacturer :
RECYL SAS.
17, rue de Montréal.74100.VILLE LA GRAND.France.
Telephone : +33 (0)4 50 92 48 68. Fax : +33 (0)4 50 95 54 72.
Email : info@recyl.fr
http://www.recycl.com
 - **Supplier :**

Econo Products Inc
132 Humboldt St.
Rochester, N.Y. 14610
PH: 585-288-7550
Fax: 585-288-3117
www.econoproducts.com
mail : econo@econoproducts.com
- **1.4 Emergency telephone number:** NHS Direct: 0845 46 47 / Textphone: 0845 606 46 47

2: Hazard(s) identification

- **2.1 Classification of the substance or mixture**

 - **Classification according to Regulation US OSHA & Haz Com 2012 :**



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- **2.2 Label elements**
 - **Labelling according to Regulation US OSHA & Haz Com 2012 :**

The product is classified and labeled according to the CLP regulation.
 - **Hazard pictograms**



- **Signal word** Danger
- **Hazard-determining components of labeling:**

sodium hydroxide
- **Hazard statements**

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 1)

· **Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P264 Wash thoroughly after handling.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P363 Wash contaminated clothing before reuse.
- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
- P310 Immediately call a POISON CENTER/doctor/...
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3: Composition/information on ingredients

· **3.2 Chemical characterization: Mixtures**

· **Description:** Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 RTECS: KJ 9100000	2-(2-butoxyethoxy)ethanol ⚠ Eye Irrit. 2, H319	50-100%
CAS: 68002-97-1 NLP: 500-182-6	Alcohols, C10-C16, ethoxylated ⚠ Acute Tox. 1, H300; ⚠ Eye Dam. 1, H318	10-25%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	sodium hydroxide ⚠ Skin Corr. 1A, H314	5-25%

USA

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 2)

4: First-aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Call a doctor immediately.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Call a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5: Fire-fighting measures

· 5.1 Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

In certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

· Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 3)

- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Provide alkali-resistant floor.
Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.
Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

112-34-5 2-(2-butoxyethoxy)ethanol (25-50%)

TLV	Long-term value: 67.5* mg/m ³ , 10* ppm *Inhalable fraction and vapor
-----	---

1310-73-2 sodium hydroxide (2.5-10%)

PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2 mg/m ³
TLV	Ceiling limit value: 2 mg/m ³

- **Additional information:** The lists that were valid during the creation were used as basis.

· **8.2 Exposure controls**

- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety Data Sheet
 acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 4)

· **Breathing equipment:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Butyl rubber, BR
- Nitrile rubber, NBR
- Rubber gloves

· **Penetration time of glove material**

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:**



Protective work clothing



Boots

9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Viscous
- **Color:** Brown
- **Odor:** Characteristic
- **Odour threshold:** Not determined.

· **pH-value (4 g/l) at 20 °C (68 °F):** 11.7

· **Change in condition**

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** Undetermined.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 5)

· Flash point:	> 100 °C (> 212 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	<110 kPa
· Density at 20 °C (68 °F):	1.08 g/cm ³ (9.013 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C (68 °F):	90 s (DIN 53211/4)
· Solvent content:	
VOC content:	0 %
· 9.2 Other information	No further relevant information available.

10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
 - Reacts with various metals.
 - Reacts with alcohols.
 - Reacts with acids, alkalis and oxidizing agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

USA

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 6)

11: Toxicological information

· **11.1 Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

112-34-5 2-(2-butoxyethoxy)ethanol

Oral LD50 5660 mg/kg (rat)

Dermal LD50 4000 mg/kg (rabbit)

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

68002-97-1 Alcohols, C10-C16, ethoxylated

Oral LD50 ≥ 4000 mg/kg (rat)

Dermal LD50 > 2000 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** Strong caustic effect on skin and mucous membranes.

· **on the eye:** Strong caustic effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

68002-97-1 Alcohols, C10-C16, ethoxylated

EC50 72h 0.1-1 mg/l (Algae)

LC50 96h 0.1-1 mg/l (fish)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 3 (Self-assessment): extremely hazardous for water

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 7)



Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**
Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1760
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1760 Corrosive liquids, n.o.s. (Sodium hydroxide) CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)
· 14.3 Transport hazard class(es) · Label · ADR	8
	
· Class · Label	8 (C9) Corrosive substances 8
· IMDG, IATA	
	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 8)

· 14.6 Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	ADR : Department of Transportation (DOT)
· UN "Model Regulation":	UN1760, Corrosive liquids, n.o.s. (Sodium hydroxide), 8, II

15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

USA

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/04/2014

Reviewed on 05/04/2014

Trade name: CLEAN 2000

(Contd. of page 9)

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent