



SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER

- Product Name** • Simply Clean SW
- Product Code** • 9145

RELEVANT IDENTIFIED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

- Relevant Use** • Water-based printing press cleaner.

SUPPLIER DETAILS

- **All Printing Resources, Inc.**
140 West Lake Drive
Glendale Heights , IL 60139
630-784-3115
www.teamflexo.com

SECTION 2: HAZARD IDENTIFICATION

United States (US) - According to OSHA 29 CFR 1910.1200 Hazard Communication Standard

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

- HAZARD CLASSIFICATION**
- Flammable Liquids - Category 4 - H227
 - Skin Corrosion/Irritation - Category 3 - H316
 - Serious Eye Damage/Eye Irritation - Category 2a - H319

LABEL ELEMENTS

Warning
Warning
Warning



HAZARD STATEMENTS

- Combustible liquid
- Causes mild skin irritation
- Causes serious eye irritation

PRECAUTIONARY STATEMENTS

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. [As modified by IV ATP] Wear protective gloves/protective clothing/eye protection/face protection. [As modified by IV ATP] In case of fire: Use ... to extinguish. [As modified by IV ATP] Store in a well ventilated place. Keep cool. Dispose of contents/container to ... [... in accordance with local/regional/national/international regulation (to be specified)].

If skin irritation occurs: Get medical advice/attention. Wear protective gloves/protective clothing/eye protection/face protection. [As modified by IV ATP] In case of fire: Use ... to extinguish. [As modified by IV ATP] Store in a well ventilated place. Keep cool. Dispose of

contents/container to ... [... in accordance with local/regional/national/international regulation (to be specified)].

Wash ... thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. [As modified by IV ATP] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. [As modified by IV ATP]

OTHER HAZARDS



HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL IDENTITY/NAME	CAS #	Percent Weight
2-Butoxyethanol	111-76-2	<60%

SECTION 4: FIRST AID MEASURES

- INHALATION**
- If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Call a physician immediately.
- SKIN**
- Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician if irritation persists. Wash clothing before reuse.
- EYE**
- Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a physician if irritation persists.
- INGESTION**
- Do not induce vomiting. Never give anything by mouth to an unconscious person. Dilute by drinking two large glasses of water. Call a physician immediately.

SECTION 5: FIRE-FIGHTING MEASURES

- SUITABLE EXTINGUISHING MEDIA**
- Use non-flammable or non-explosive extinguishing media.
- SPECIFIC HAZARDS**
- No known unusual hazards in a fire or explosion situation.
- SPECIAL PROTECTIVE**
- No known unusual hazards in a fire or explosion situation.

**ACTIONS FOR
FIREFIGHTERS****SECTION 6: ACCIDENTAL RELEASE MEASURES****PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

- FOR NON-EMERGENCY PERSONNEL**
- For non-emergency personnel, ventilate area of leak or spill and remove all ignition sources. Wear appropriate personal protective equipment as required to prevent any contamination of skin, eyes, and personal clothing. Isolate release area. Do not touch or walk through spilled material unless wearing the appropriate protective equipment. Keep unnecessary and unprotected personnel from entering.
- FOR EMERGENCY RESPONDERS**
- For emergency responders, as an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.

ENVIRONMENTAL PRECAUTIONS

- ACCIDENTAL RELEASE ENVIRONMENTAL**
- Stop leak if you can do it without risk. If possible, keep from entering into drains, surface water, or ground water. This product is biodegradable.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- CONTAINMENT AND CLEANUP**
- Contain and recover liquid when possible. Cover drains or cap spill when safe. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Small spills may be flushed to the sanitary sewer with approval from local authorities.

SECTION 7: HANDLING AND STORAGE

- PRECAUTIONS FOR SAFE HANDLING**
- Do not modify the storage container as to make it unsafe. Use caution when opening container as unit may be under mild pressure due to weather or temperature changes. Do not mix with any other chemical unless specifically recommended by manufacturer. Avoid spills into the work or outside environment. Do not eat, drink, or smoke in work areas. Wash hands after use. Remove any contaminated clothing and protective equipment before entering eating areas.
- CONDITIONS FOR SAFE STORAGE AND INCOMPATIBILITIES**
- Protect against physical damage. Store in a cool, dry, well-ventilated location. Avoid storing in direct sunlight when possible. Separate from incompatible materials such as strong acids or strong bases. Do not store in containers made from soft metals such as aluminum, magnesium, zinc, or galvanized steel.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**CONTROL PARAMETERS**

CHEMICAL IDENTITY/NAME

CAS #

TLV

2-Butoxyethanol

111-76-2

25 ppm

APPROPRIATE ENGINEERING CONTROLS

- Adequate ventilation systems as needed to maintain air concentrations below occupational exposure standards.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE/FACE PROTECTION • Safety glasses with polycarbonate lenses.

SKIN PROTECTION • Nitrile gloves.

RESPIRATORY PROTECTION • None required under normal use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear liquid.	Lower Limits	Not available.
Odor	Light, sweet odor.	Vapor Pressure	Not available.
Odor Threshold	Not available.	Vapor Density	Not available.
pH	7.5	Relative Density	Not available.
Melting Freezing Pt	Not available.	Solubility	Miscible in water.
Initial Boiling Pt	Not available.	Partition Coefficient	Not available.
Flash Point	166 F (TCC)	Auto Ignition Temp	Not available.
Evaporation Rate	Not available.	Decomposition Temp	Not available.
Flammability	Not available.	Viscosity	Not available.
VOC Content	420 g/L		

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY • No dangerous reaction known under conditions of normal use.

CHEMICAL STABILITY • Stable under normal temperatures and pressures.

POSSIBILITY OF HAZARDOUS REACTIONS • Will not occur.

CONDITIONS TO AVOID • No unusual conditions.

INCOMPATIBLE MATERIALS

- Do not mix with strong acids or bases. Do not mix with any other chemical unless instructed to do so by manufacturer.

HAZARDOUS DECOMPOSITION PRODUCTS

- In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, soot, and smoke may be produced.

SECTION 11: TOXICOLOGICAL INFORMATION**INFORMATION ON TOXICOLOGICAL EFFECTS**

Acute Toxicity Classification criteria not met.

Skin Corrosion/Irritation Skin Corrosion/Irritation - Category 3

Serious Eye Damage/Irritation Serious Eye Damage/Eye Irritation - Category 2a

Respiratory or Skin Sensitization Classification criteria not met.

Germ Cell Mutagenicity Classification criteria not met.

Carcinogenicity Classification criteria not met.

Reproductive Toxicity Classification criteria not met.

STOT Single Exposure Classification criteria not met.

STOT Repeated Exposure Classification criteria not met.

Aspiration Hazard Classification criteria not met.

Target Organs • Skin.

Routes of Entry Exposure • Ingestion, inhalation, skin, eye.

POTENTIAL HEALTH EFFECTS

INHALATION ACUTE • May irritate nose, throat and lungs.

INHALATION CHRONIC • Vapors or mists may aggravate pre-existing lung conditions.

SKIN ACUTE • May cause irritation. Prolonged exposure may cause redness or pain. and should be avoided.

SKIN CHRONIC • Sensitivity of the skin may occur with repeated, prolonged exposure.

EYE ACUTE • May cause redness, tearing, swelling and pain. Prolonged exposure to eyes should be avoided.

EYE CHRONIC • No data available.

INGESTION ACUTE • May irritate nose, throat and lungs.

INGESTION CHRONIC • No data available.

MIXTURE INGREDIENT INFORMATION

- Mixture ingredients are at a concentration which is not sufficient to contribute to the overall health effects of the mixture.

SECTION 12: ECOLOGICAL INFORMATION

TOXICITY • Not enough information is available.

PERSISTENCE & BIODEGRADABILITY • Not enough information is available.

BIOACCUMULATIVE POTENTIAL • Not enough information is available.

MOBILITY IN SOIL • Not enough information is available.

OTHER ADVERSE EFFECTS • Not enough information is available for adverse effects.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL CONSIDERATIONS • Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14: TRANSPORT INFORMATION

TRANSPORT • Combustible liquid. Not regulated by D.O.T. in containers less than 119 gallons.

ENVIRONMENTAL HAZARDS • None.

SPECIAL PRECAUTIONS • None.

SECTION 15: REGULATORY INFORMATION

SARA TITLE III INFORMATION

COMPONENT	CAS/313 CATEGORY CODE	PERCENT WT
Glycol Ethers	N230	50%

OTHER REGULATORY INFORMATION

- **TSCA (Toxic Substance Control Act):** All ingredients of this product are listed on the TSCA inventory.
- **CARCINOGENICITY:** Not listed by IARC, NTP, OR OSHA.
- **CALIFORNIA PROPOSITION 65:** This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins which would be subject to the proposition.

SECTION 16: OTHER INFORMATION

PREPARATION AND REVISION DATE

DATE OF LATEST REVISION • 2/10/2015

SUPERSEDED DATE • 11/27/2013

KEY TO ABBREVIATIONS

**N/E = Not Established. CAS = Chemical Abstract Service. PPM = Parts Per Million.
g/L = Grams per Liter**

LIABILITY DISCLAIMER

- This MSDS provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. THIS MSDS MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, THIS MSDS DOES NOT REMIT RESPONSIBILITY FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.